

# 高精度电容式油位传感器

CAPACITIVE FUEL LEVEL SENSOR

# GLTV7

# GaMicos

## P 产品介绍 Product Introduction

GLTV7

GPS



## P 产品特点 Product Features

- ◆ 1mm
- ◆
- ◆
- ◆
- ◆ SAE 5
- ◆
- ◆ GPS
- ◆

## A 产品应用 Application


- ◆
- ◆
- ◆
- ◆
- ◆
- ◆

## S 技术参数 Specification

项目	参数
	200~1500mm( )
	: 0~5V 0.5~4.5V : RS232 RS485
	DC10-32V 10~32VDC
	1mm
	<15mA
	-40~+85
	5s/
	PVC ( PA )
	IP65
	AMP
	SAE 5 5 M5 2mm NBR 2mm FPM

## 接线方式





- Pin1( : VCC (10-32V)
- Pin2( : V out 0.5-4.5V/0-3.3V/0-8V/0-5V/ RX)
- Pin3( : GND)
- Pin4( : /RS232TX/RS485A)
- Pin5( : )
- Pin6( : )



## 较准器

GLTV7 12V/23A

## D 外形尺寸 Dimensions



## T 产品选型 Type selection

GLTV7	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	选型说明
	F							
		N						mm
			X					120~ 1500mm,
				P1				RS485
				P2				RS232
				P3				0.5~ 4.5VDC
				P4				0~ 5VDC
					V1			10~ 32VDC
					V2			5VDC
						T1		
						T2		
							J1	
							J2	